


INTRINSIC SAFETY RATING: Motorola-approved batteries and accessories are a critical part of your radio system and certified by a recognized testing agency as intrinsically safe. Non-Motorola approved batteries and accessories may not be certified for MOTOTRBO and if used, could result in equipment that is NOT approved or unsafe in a hazardous environment.



REMOTE SPEAKER MICROPHONES

Our Noise-Canceling Remote Speaker Microphones (RSMs) and complementary audio accessories assure clearer communications in the loudest and toughest environments.

INDUSTRIAL NOISE-CANCELING (INC) RSM

Be heard above all with the INC RSM. It's optimized to perform with MOTOTRBO digital radios in extremely noisy, dirty and difficult environments – from the sugar mill to the automotive plant. With its rugged construction and exceptional noise cancellation, the NNTN8382 INC RSM overcomes excessive noise.

> EXPERIENCE DUAL-MICROPHONE NOISE SUPPRESSION

XPR 6000 AND XPR 7000 SERIES ACCESSORIES

NNTN8383



IMPRES™ Industrial Noise-Canceling (INC) RSM Dual Microphone Noise Suppression RSM with 3.5 mm threaded audio jack (IP54 rated)

SUPPRESSES HIGH NOISE SO YOU HEAR CLEARLY

The dual-microphone design suppresses background noise so the message gets through. Large 1-watt speaker delivers the loudest, clearest audio available — up to 25 percent more than other MOTOTRBO RSMs.

EASY TO CLEAN DIRT, GRIT AND DEBRIS

Debris and fine particles can clog RSMs and reduce the quality of voice transmissions. Simply vacuum out the speaker grill (when dry), remove debris using soapy water and rinse, and you're ready to go.



STANDARD NOISE-CANCELING RSMs

For the harshest noise, use the INC RSM (NNTN8383). For moderate noise environments, choose our standard Noise-Canceling RSMs. For optimal noise reduction, hold the microphone directly in front of your mouth and face the source of the sound (see photo). The directional microphone will pick up your voice while filtering out background noise.



XPR 6000 AND XPR 7000 SERIES

PMMN4050



IMPRES Noise-Canceling RSM with 3.5mm audio jack, large housing (IP54 rated)

XPR 3000 SERIES

PMMN4071



IMPRES Noise-Canceling RSM with 3.5mm audio jack, large housing (IP54 rated)

COMMERCIAL CP200d

PMMN4013



Windporting RSM with 3.5mm audio jack (IP54 rated)

REMOTE SPEAKER MICROPHONE ACCESSORIES

Our Heavy-Duty Headsets plug into the 3.5mm ear jack on the RSM and protect your hearing on the manufacturing floor. When you move into a quiet environment, simply remove the headset and use the RSM. Listen to communication discreetly with our comfortable Receive-Only Earpiece.

XPR 6000 AND XPR 7000 SERIES

RMN4056



Dual Muff Headband-Style Headset Compatible with NNTN8383 only. Threaded 3.5mm jack

RMN4057



Dual Muff Hardhat Mount Headset Compatible with NNTN8383 only. Threaded 3.5mm jack

RLN5313



One-Wire Earpiece with Clear Acoustic Tube, black Compatible with NNTN8383 only. Threaded 3.5mm jack

XPR 3000, XPR 6000, XPR 7000 SERIES AND CP200d

RLN4941



Receive-Only Earpiece with translucent tube and rubber eartip Compatible with PMMN4050, PMMN4071 and PMMN4013. Standard 3.5mm jack

5080384F72



Replacement Foam Plugs designed for clear comfort earpieces. Protect your hearing with a noise reduction = 24dB. Pack of 50 pairs

HEAVY-DUTY AND TEMPLE TRANSDUCER HEADSETS

The International Labor Office (ILO) and Center for Disease Control (CDC) acknowledge the health risks to employees in loud environments. More than one-third of workers in manufacturing are exposed to hazardous noise, which can lead to irreversible hearing loss and ringing in the ears (tinnitus).

As a major partner with the industry, Motorola Solutions works hard to address this important issue. Our accessories protect workers from noise and keep them connected for greater efficiency and safety. Choose from a wide variety of Heavy-Duty Headsets to protect hearing and improve communication in loud environments.

XPR 6000 AND XPR 7000 SERIES ACCESSORIES

PMLN5275



Heavy-Duty Behind-the-Head Headset with Noise-Canceling boom microphone; NRR = 24dB, FM and TIA Approved[†]

PMLN6852



Heavy-Duty Behind-the-Head Headset with Noise-Canceling boom microphone; NRR = 24dB

PMLN5101



IMPRES Temple Transducer with boom microphone and in-line push-to-talk FM Approved[†]

XPR 7000 SERIES ACCESSORIES

PMLN6853



Heavy Duty Behind-the-Head Headset with Noise-Canceling boom microphone, PTT on ear cup; NRR = 24dB , TIA Approved[†]

- † UL certified TIA 4950 approved when used with a UL certified TIA 4950 radios
- † Intrinsic Safety Rating: FM = FM 1988 approved when used with intrinsically safe radios



3M™ PELTOR™ HEAVY- DUTY HEADSETS

These Heavy-Duty Headsets are optimized and certified to meet performance standards for MOTOTRBO radios. They protect hearing and improve communication in loud environments. Select from hard hat mount, over-the-head and behind-the-head styles that connect directly, or with the pushto-talk adapter for your radio.



Hear your surrounding environment and conversations while wearing a headset. These dual-muff, tactical headsets have two microphones on the outside of the earcups that reproduce ambient sound back into headset. With a noise reduction rating of 24dB, they suppress harmful noise to safe levels, and amplify low sounds up to 5 times their original level, but never more than 82dB. The on/off volume control is on the earcups.



XPR 6000 A	ND XPR 7000 S	ERIES ACCESSORIES
RMN5139		MT Series Hard Hat Attached Headset, direct radio connect; NRR=21dB
RMN4051		MT Series Hard Hat Attached with Nexus connector; NRR=21dB, Requires PTT Nexus Adapter PMLN6095
RMN5137		MT Series Over-the-Head Headset, direct radio connect; NRR=25dB
PMLN6088		MT Series Over-the-Head Headset with Nexus connector; NRR=25dB, Requires PTT Nexus Adapter PMLN6095
RLN6477		MT Series Neckband Headset with Nexus connector; NRR=24dB Requires PTT Nexus Adapter PMLN6095
RMN4052		Tactical Pro Series Over-The-Head Headset with Nexus connector; NRR=26dB Requires PTT Nexus Adapter PMLN6095
RMN5135		Tactical Pro Series Neckband Headset with Nexus connector; NRR=25dB Requires PTT Nexus Adapter PMLN6095
RMN4053		Tactical Pro Series Hard Hat Headset with Nexus connector; NRR=22dB Requires PTT Nexus Adapter PMLN6095
PMLN6095		PTT Nexus Adapter

XBT HEAVY-DUTY WIRELESS HEADSET

With machinery running at full speed, the production floor is a noisy place to be. You need to communicate on your radio and be aware of everything around you. XBT Heavy-Duty Headsets connect wirelessly to your radio, suppressing noise for clearer communications. With patented SENS™ situational awareness technology, you'll hear critical communications from coworkers in the plant.

> SEE THE XBT HEADSET IN ACTION

SONIC DEFENDERS

Safeguard the hearing of personnel throughout the noisy plant without blocking external sounds or conversations. Ultra Earplugs offer extra comfort and/or noise protection for those wearing heavy duty headsets and helmets. They feature a foam-tipped stem design and soft memory-foam Comply™ Canal Tips for added protection.

Safe sounds pass through into the ear canal, while potentially harmful noises (above 85dB) are reduced through a filter. Filter caps are included; insert them for added hearing protection or remove for use with surveillance kits.*

XPR 6000 AND XPR 7000 SERIES ACCESSORIES

Note: XPR 6000 Series radios require Operations Critical Wireless Bluetooth Adapter (PMLN5712)

RLN6490

XBT Operations Critical Wireless Behind-the-Neck Headset

RLN6491



XBT Operations Critical Wireless Headband-Style Headset

XPR 3000 SERIES

PMLN5731



Heavy-Duty Headset with Noise-Canceling boom microphone and in-line push-to-talk; NRR = 24dB

PMLN6760

PMLN6763



Heavy Duty Behind-the-Head Headset with Noise-Canceling boom microphone, PTT on ear cup; NRR = 24dB

Heavy Duty Behind-the-Head Headset with Noise-Canceling boom microphone, PTT on ear cup; NRR = 24dB UL, TIA 4950

COMMERCIAL CP200d

PMLN6539



Heavy-Duty Headset, over-the-head dual muff with swivel noise-canceling boom microphone; NRR = 24dB

PMLN6540



Heavy-Duty Headset, behind-the-head dual muff (hard hat compatible) with noise-canceling boom mic and in-line push-to-talk; NRR = 24dB

PMLN6854



Heavy Duty Behind-the-Head dual muff Headset (hard hat compatible) with Noise-Canceling boom microphone, VOX switch and PTT on ear cup, NRR = 24dB



XPR 3000, XPR 6000, XPR 7000, CP200d SERIES ACCESSORIES

RLN6511



Clear EP7-Small Hearing Protectors [Sonic Defenders] Ultra Earplugs Noise reduction = 28dB*


RLN6512



Clear EP7-Medium Hearing Protectors [Sonic Defenders] Ultra Earplugs Noise reduction = 28dB*

RLN6513

Clear EP7-Large Hearing Protectors [Sonic Defenders] Ultra Earplugs Noise reduction = 28dB*



REMOTE SPEAKER MICROPHONES

Robust and extra-tough to withstand the demanding conditions you work in. The IP57 rating provides excellent protection from dust and means this Remote Speaker Microphone (RSM) can be submersed in 1 meter of fresh water for 30 minutes. It will keep on operating, even when drenched.

NNTN8382 IMPRES Industrial Noise-Canceling (INC) Dual Microphone Noise Suppression RSM, submersible (IP57 rated) Windporting RSM, small, submersible (IP57 rated) PMMN4029 Windporting RSM, submersible (IP57 rated)





WIRELESS ACCESSORIES AND TEMPLE TRANSDUCER HEADSET

Select from a broad portfolio of wireless Bluetooth® accessories for safer, more effective communications. Leave your radio at your desk while moving freely around the office and keep connected to the shop floor.

LONG RANGE WIRELESS SOLUTION

The Long Range Wireless Remote Speaker Microphone (RSM) pairs instantly with a touch to the mobile microphone with Bluetooth gateway. Console operators can maintain critical communications while personnel moving freely around the workplace, up to 100 meters away.

XPR 6000 AND XPR 7000 SERIES ACCESSORIES

Note: XPR 6000 Series radios require Operations Critical Wireless Bluetooth Adapter (PMLN5712)

RLN6500	(I)C	Bluetooth Accessory Kit with swivel earpiece and battery clip (push-to-talk on radio or with separate wireless PTT)
PMLN7181		Bluetooth Accessory Kit with Flexible Fit swivel earpiece with boom mic and charging cradle (push-to-talk on radio or with separate wireless PTT)

NNTN8125	3	Operations Critical Wireless Earpiece with 12-inch cable
----------	---	--

NNTN8127		Operations Critical Wireless Push-to-Talk pod
----------	--	---

NNTN8294	1	Operations Critical Wireless Earbud with 11.5-inch cable.
		Requires PTT NNTN8127

XPR 4000 AND XPR 5000 SERIES MOBILE CONSOLE

RLN6551	Long Range Wireless RSM Kit, Includes Vehicular Charger
RLN6552	Long Range Wireless Mobile Accessory Kit (without Charger)
PMLN7120	Standard Dual Unit Charger

COMMERCIAL CP200d

PMLN6541 Lightweight Temple Transducer Headset with in-line mic and push-to-talk



BATTERIES AND CHARGERS

Your radio is only as effective as the battery that powers it. That's why it's important to choose the batteries lab-tested and certified to last the longest shifts and perform optimally with your MOTOTRBO radio.

IMPRES BATTERIES

Get the most out of every battery and eliminate the surprise of "low battery alerts." IMPRES chargers tell you exactly how much capacity is in an IMPRES battery before you attach it to your radio. It signals exactly when an IMPRES battery has reached the end of service life.

MOTOTRBO batteries are Proven Tough, in lab test after lab test, to withstand shocks, knocks, drops and shakes and outperform other brands.

BATTERY WARRANTY: Take advantage of the longest warranty in the industry. Our warranty protects against any defects in workmanship for four years – twice as long as leading competitive batteries.

XPR 6000 SER	RIES	
PMNN4069		IMPRES Li-lon 1450 mAh battery Submersible (IP57), FM Approved [†]
PMNN4077		IMPRES Li-Ion 2250 mAh battery Submersible (IP57)
XPR 7000 SER	RIES	
NNTN8129	,	IMPRES Li-lon 2350 mAh battery Submersible (IP57), FM Approved [†]
NNTN8560		IMPRES Hi-Cap Li-Ion 2500 mAh battery Submersible (IP57), TIA Approved [†]
XPR 3000 ANI	D XPR 7000 S	ERIES
PMNN4448		IMPRES Hi-Cap Li-Ion 2800 mAh battery Submersible (IP57)
PMNN4409		IMPRES Li-Ion 2250 mAh battery, Submersible (IP67)
PMNN4435		Long life (LiMn) 1400 mAh battery Submersible (IP57), -30°C rated
COMMERCIA	L CP200d	
PMNN4450	Ma	High Capacity Li-lon 2800 mAh battery

[†] UL certified TIA 4950 approved when used with a UL certified TIA 4950 radios

[†] Intrinsic Safety Rating: FM = FM 1988 approved when used with intrinsically safe radios

CHARGERS

Create a smarter, more productive workspace with the compact and versatile design of the Universal Multi-Unit Charger. This budget-friendly solution features interchangeable charging pockets, charging batteries from two different radio platforms.

XPR 3000, XPR 6000 AND XPR 7000 SERIES

WPLN4219



IMPRES Multi-Unit Rapid Rate Charger with 6 Displays, 120V (US plug)

CP200 SERIES

PMLN6588



Universal Multi-Unit Charger, includes 6-inserts compatible with CP200d, PR400, CP200 XLS, CP200, CP150, 120V (US plug)





For a complete listing of Motorola accessories and batteries, click here.

Motorola Solutions, Inc. 1301 E. Algonquin Road, Schaumburg, Illinois 60196 U.S.A. motorolasolutions.com

MOTOROLA, MOTO, MOTOROLA SOLUTIONS and the Stylized M Logo are trademarks or registered trademarks of Motorola Trademark Holdings, LLC and are used under license. All other trademarks are the property of their respective owners. © 2016 Motorola Solutions, Inc. All rights reserved. 06-2016

MOTO**TRBO**™ DIGITAL REMASTERED.

